

CONTENTS

QL46/
C21Jan-June
1969

- Adisoemarto, S.** See Barlow, C. A., 1315.
- Amman, G. D.** A method of sampling the balsam woolly aphid on Fraser fir in North Carolina, 883.
- Anderson, R. F.** See Hertel, G. D., 1084.
- Angle, B. J.** See Morgan, C. V. G., 983.
- Arnold, J. W.** Periodicity in the proportions of haemocyte categories in the giant cockroach, *Blaberus giganteus*, 68.
- Atkins, M. D.** Lipid loss with flight in the Douglas-fir beetle, 164.
- Atkins, M. D. and Hall, A. A.** Effect of light and temperature on the activity of balsam woolly aphid crawlers, 481.
- Atwood, C. E.** See Baker, W. V., 990.
- Ayre, G. L.** Comparative studies on the behavior of three species of ants (Hymenoptera: Formicidae). II. Trail formation and group foraging, 118.
- Baker, W. V. and Atwood, C. E.** The abnormal development of the meso- and meta-thoracic legs of *Diprion similis* (Hymenoptera: Diprionidae) when reared under certain photo-periods, 990.
- Baldwin, W. F.** See Sanders, C. J., 416.
- Baldwin, W. F. and Cowper, G.** The use of radioactive platinum-iridium wire (IR-192) as an internal tag for tracing insects, 151.
- Barlow, C. A., Graham, J. E., and Adisoemarto, S.** The numerical factor for the taxonomic separation of *Pterostichus pensylvanicus* and *P. adstrictus* (Coleoptera: Carabidae), 1315.
- Barr, B. A.** Sound production in Scolytidae (Coleoptera) with emphasis on the genus *Ips*, 636.
- Barras, S. J. and Hodges, J. D.** Carbohydrates of inner bark of *Pinus taeda* as affected by *Dendroctonus frontalis* and associated microorganisms, 489.
- Berryman, A. A.** Responses of *Abies grandis* to attack by *Scolytus ventralis* (Coleoptera: Scolytidae), 1033.
- Bird, F. T.** Infection and mortality of spruce budworm, *Choristoneura fumiferana*, and forest tent caterpillar, *Malacosoma disstria*, caused by nuclear and cytoplasmic polyhedrosis viruses, 1269.
- Boldyrev, M. I. and Wilde, W. H. A.** Food seeking and survival in predaceous coccinellid larvae, 1218.
- Boldyrev, M. I., Wilde, W. H. A., and Smith, B. C.** Predaceous coccinellid oviposition responses to *Juniperus* wood, 1199.
- Borden, J. H.** Observations on the life history and habits of *Alniphagus aspericollis* (Coleoptera: Scolytidae) in southwestern British Columbia, 870.
- Bottimer, L. J.** Two new *Acantboscelides* (Coleoptera: Bruchidae) from southern United States with notes on related species, 975.
- Bruchidae associated with *Mimosa* with the description of a new species, 1186.
- Bracken, G. K.** Effects of dietary amino acids, salts, and protein starvation on fecundity of the parasitoid *Exeristes comstocki* (Hymenoptera: Ichneumonidae), 91.
- Brinton, F. E., Proverbs, M. D., and Carty, B. E.** Artificial diet for mass production of the codling moth, *Carpocapsa pomonella* (Lepidoptera: Olethreutidae), 577.
- Brown, W. J.** A new species of *Pyrrhalta* from Sable Island (Coleoptera: Chrysomelidae), 109.
- Brust, R. A.** See Guthrie, J. E., 856; Costello, R. A., 1266.
- Brust, R. A. and Costello, R. A.** Mosquitoes of Manitoba. II. The effect of storage temperature and relative humidity on hatching of eggs of *Aedes vexans* and *Aedes abserratus* (Diptera: Culicidae), 1285.
- Bryant, D. G.** See Hopewell, W. W., 1112.
- Buckner, C. H.** The common shrew (*Sorex araneus*) as a predator of the winter moth (*Operophtera brumata*) near Oxford, England, 370.
- Callahan, J. T.** See Coleman, D. C., 328.
- Caltagirone, L. E.** See Laing, D. R., 135.
- Cameron, E. A.** See Lanier, G. N., 862.
- Campbell, J. M.** A revision of the New World Oxyporinae (Coleoptera: Staphylinidae), 225.
- Carrow, J. R.** An apparatus for field study of the balsam woolly aphid, 132.
- Carty, B. E.** See Brinton, F. E., 577.
- Chen, Y.-H.** See Robinson, A. G., 110, 521.
- Cheng, H. H. and LeRoux, E. J.** Parasites and predators of the birch leaf miner, *Fenusa pusilla* (Hymenoptera: Tenthredinidae), in Quebec, 839.

CONTENTS

QL46/
C21Jan-June
1969

- Adisoemarto, S.** See Barlow, C. A., 1315.
- Amman, G. D.** A method of sampling the balsam woolly aphid on Fraser fir in North Carolina, 883.
- Anderson, R. F.** See Hertel, G. D., 1084.
- Angle, B. J.** See Morgan, C. V. G., 983.
- Arnold, J. W.** Periodicity in the proportions of haemocyte categories in the giant cockroach, *Blaberus giganteus*, 68.
- Atkins, M. D.** Lipid loss with flight in the Douglas-fir beetle, 164.
- Atkins, M. D. and Hall, A. A.** Effect of light and temperature on the activity of balsam woolly aphid crawlers, 481.
- Atwood, C. E.** See Baker, W. V., 990.
- Ayre, G. L.** Comparative studies on the behavior of three species of ants (Hymenoptera: Formicidae). II. Trail formation and group foraging, 118.
- Baker, W. V. and Atwood, C. E.** The abnormal development of the meso- and meta-thoracic legs of *Diprion similis* (Hymenoptera: Diprionidae) when reared under certain photoperiods, 990.
- Baldwin, W. F.** See Sanders, C. J., 416.
- Baldwin, W. F. and Cowper, G.** The use of radioactive platinum-iridium wire (IR-192) as an internal tag for tracing insects, 151.
- Barlow, C. A., Graham, J. E., and Adisoemarto, S.** The numerical factor for the taxonomic separation of *Pterostichus pensylvanicus* and *P. adstrictus* (Coleoptera: Carabidae), 1315.
- Barr, B. A.** Sound production in Scolytidae (Coleoptera) with emphasis on the genus *Ips*, 636.
- Barras, S. J. and Hodges, J. D.** Carbohydrates of inner bark of *Pinus taeda* as affected by *Dendroctonus frontalis* and associated microorganisms, 489.
- Berryman, A. A.** Responses of *Abies grandis* to attack by *Scolytus ventralis* (Coleoptera: Scolytidae), 1033.
- Bird, F. T.** Infection and mortality of spruce budworm, *Choristoneura fumiferana*, and forest tent caterpillar, *Malacosoma disstria*, caused by nuclear and cytoplasmic polyhedrosis viruses, 1269.
- Boldyrev, M. I. and Wilde, W. H. A.** Food seeking and survival in predaceous coccinellid larvae, 1218.
- Boldyrev, M. I., Wilde, W. H. A., and Smith, B. C.** Predaceous coccinellid oviposition responses to *Juniperus* wood, 1199.
- Borden, J. H.** Observations on the life history and habits of *Alniphagus aspericollis* (Coleoptera: Scolytidae) in southwestern British Columbia, 870.
- Bottimer, L. J.** Two new *Acantboscelides* (Coleoptera: Bruchidae) from southern United States with notes on related species, 975.
- Bruchidae associated with *Mimosa* with the description of a new species, 1186.
- Bracken, G. K.** Effects of dietary amino acids, salts, and protein starvation on fecundity of the parasitoid *Exeristes comstocki* (Hymenoptera: Ichneumonidae), 91.
- Brinton, F. E., Proverbs, M. D., and Carty, B. E.** Artificial diet for mass production of the codling moth, *Carpocapsa pomonella* (Lepidoptera: Olethreutidae), 577.
- Brown, W. J.** A new species of *Pyrrhalta* from Sable Island (Coleoptera: Chrysomelidae), 109.
- Brust, R. A.** See Guthrie, J. E., 856; Costello, R. A., 1266.
- Brust, R. A. and Costello, R. A.** Mosquitoes of Manitoba. II. The effect of storage temperature and relative humidity on hatching of eggs of *Aedes vexans* and *Aedes abserratus* (Diptera: Culicidae), 1285.
- Bryant, D. G.** See Hopewell, W. W., 1112.
- Buckner, C. H.** The common shrew (*Sorex araneus*) as a predator of the winter moth (*Operophtera brumata*) near Oxford, England, 370.
- Callahan, J. T.** See Coleman, D. C., 328.
- Caltagirone, L. E.** See Laing, D. R., 135.
- Cameron, E. A.** See Lanier, G. N., 862.
- Campbell, J. M.** A revision of the New World Oxyporinae (Coleoptera: Staphylinidae), 225.
- Carrow, J. R.** An apparatus for field study of the balsam woolly aphid, 132.
- Carty, B. E.** See Brinton, F. E., 577.
- Chen, Y.-H.** See Robinson, A. G., 110, 521.
- Cheng, H. H. and LeRoux, E. J.** Parasites and predators of the birch leaf miner, *Fenusa pusilla* (Hymenoptera: Tenthredinidae), in Quebec, 839.

- Coleman, D. C., Monk, C. D., and Callahan, J. T.** Effect of food availability on rates of loss of "calcium from *Hyphantria cunea* (Lepidoptera: Arctiidae), 328.
- Costello, R. A.** See Brust, R. A., 1285.
- Costello, R. A. and Brust, R. A.** A quantitative study of uptake and loss of water by eggs of *Aedes vexans* (Diptera: Culicidae), 1266.
- Cowper, G.** See Baldwin, W. F., 151.
- Davis, G. R. F.** Effect of dietary serine on survival and rate of development of *Oryzaephilus surinamensis* (Coleoptera: Silvanidae), 27.
- Depner, K. R.** Distribution of the face fly, *Musca autumnalis* (Diptera: Muscidae) in Western Canada and the relation between its environment and population density, 97.
- Doane, J. F.** A method for separating the eggs of the prairie grain wireworm, *Ctenicera destructor*, from soil, 1002.
- Dondale, C. D. and Redner, J. H.** The *infuscatus* and *dispar* groups of the spider genus *Philodromus* in North and Central America and the West Indies (Aran.: Thom.), 921.
- Downes, J. A.** See MacKay, M. A., 1048.
- Downes, J. A. and Smith, S. M.** New or little known feeding habits in Empididae (Diptera), 404.
- Downing, R. S. and Moilliet, T. K.** Control of the pear rust mite, *Epirimerus pyri* (Acarina: Eriophyidae), 1000.
- Downton, W. J. S. and Ross, D. A.** Factors influencing pupal coloration in *Neophasia menapia*, 774.
- Drew, W. A.** See Vick, K., 879, 1207.
- Dyck, V. A.** The temperature preference of the grasshopper *Melanoplus sanguinipes* (Orthoptera: Acrididae), 1214.
- Eaton, G. W. and Stewart, M. G.** Blueberry blossom damage caused by bumblebees, 149.
- Eidt, D. C.** Orientation of spruce budworm hatchlings, 1005.
- Eisenbraun, E. J.** See Vick, K., 879, 1207.
- Evans, D.** *Laspeyresia pseudotsugae* n. sp. (Lepidoptera: Olethreutidae), a bark miner in Douglas-fir, 955.
- Farrier, M. H.** See Schneider, I., 412.
- Farris, S. H.** Occurrence of mycangia in the bark beetle *Dryocoetes confusus* (Coleoptera: Scolytidae), 527.
- Flanders, S. E.** Herbert D. Smith's observations on citrus blackfly parasites in India and Mexico and the correlated circumstances, 467.
- Flint, H. M. and Kressin, E. L.** Transfer of sperm by irradiated *Heliothis virescens* (Lepidoptera: Noctuidae) and relationship to fecundity, 500.
- Foott, W. H., Von Stryk, F. G., and Timmins, P. R.** Efficacy of disulfoton for control of the green peach aphid, *Myzus persicae*, on peppers, 375.
- Forbes, A. R.** The stylets of the green peach aphid, *Myzus persicae* (Homop.: Aphid.), 31.
- Fredeen, F. J. H.** *Culicoides (Selfia) denningi*, a unique river-breeding species, 539.
A new procedure allowing replicated miniature larvicide tests in a large river, 713.
- Freitag, R., Ozburn, G. W., and Leech, R. E.** The effects of Sumithion and Phosphamidon on populations of five carabid beetles and the spider *Trochosa terricola* in northwestern Ontario and including a list of collected species of carabid beetles and spiders, 1328.
- French, E. B.** See Musgrave, A. J., 757.
- Goyer, R. A. and Schenk, J. A.** Parasitism of the cone moth *Eucosma rescissoriana* (Lepidoptera: Olethreutidae) in northern Idaho, 1063.
- Graham, J. E.** See Barlow, C. A., 1315.
- Griffiths, K. J.** The importance of coincidence in the functional and numerical responses of two parasites of the European pine sawfly, *Neodiprion sertifer*, 673.
Development and diapause in *Pleolophus basizonus* (Hym.: Ichn.), 907.
- Griffiths, K. J. and Holling, C. S.** A competition submodel for parasites and predators, 785.
- Guppy, J. C.** Some effects of temperature on the immature stages of the armyworm, *Pseudalietia unipuncta* (Lepidoptera: Noctuidae), under controlled conditions, 1320.
- Guthrie, J. E. and Brust, R. A.** Elimination rate of radiocesium by an aquatic hemipteran *Lebocerus americanus*, 856.
- Hain, F. P.** See Hertel, G. D., 1084.
- Hall, A. A.** See Atkins, M. D., 481.
- Hardwick, D. F.** A European cutworm moth (*Cerapteryx graminis*) collected in Newfoundland, 766.

- Harris, P., Peschken, D., and Milroy, J. The status of biological control of the weed *Hypericum perforatum* in British Columbia, 1.
- Hassell, M. P. and Huffaker, C. B. The appraisal of delayed and direct density-dependence, 353.
- Hennig, W. Neue gattungen und arten der Acalypteratae, 589.
- Herbert, H. J. and Sanford, K. H. The influence of spray programs on the fauna of apple orchards in Nova Scotia. XIX. Apple rust mite, *Vasates schlechtendali*, a food source for predators, 62.
- Hertel, G. D., Hain, F. P., and Anderson, R. F. Response of *Ips grandicollis* (Coleoptera: Scolytidae) to the attractant produced by attacking male beetles, 1084.
- Hinz, R. *Olesicampe benefactor*, a new Palearctic ichneumonid parasite of *Pristiphora erichsonii* (Hymenoptera), 181.
- Hodges, J. D. See Barras, S. J., 489.
- Holling, C. S. See Griffiths, K. J., 785.
- Holt, G. G. See North, D. T., 513.
- Hopewell, W. W. and Bryant, D. G. Chemical control of *Adelges piceae* (Homoptera: Adelgidae) in Newfoundland, 1967, 1112.
- House, H. L. The diel pattern of feeding activity of larval *Pseudosarcophaga affinis* (Diptera: Sarcophagidae), 409.
- Huffaker, C. B. See Hassell, M. P., 353.
- Huffaker, C. B. and Kennett, C. E. Some aspects of assessing efficiency of natural enemies, 425.
- Kasting, R. See Khan, M. R., 494.
- Kelton, L. A. *Scalponotatus*, a new genus near *Slaterocoris*, with descriptions of new species (Heteroptera: Miridae), 15.
- Kennett, C. E. See Huffaker, C. B., 425.
- Khan, M. R. and Kasting, R. Digestive enzymes of sixth-instar larvae of the pale western cutworm, *Agrotis orthogonia* (Lepidoptera: Noctuidae), 494.
- Krebs, C. F. A new Nearctic species of *Phytodietus* (Hymenoptera: Ichneumonidae), 548.
- Kressin, E. L. See Flint, H. M., 500.
- Laing, D. R. and Caltagirone, L. E. Biology of *Habrobracon lineatellae* (Hymenoptera: Braconidae), 135.
- Lanier, G. N. and Cameron, E. A. Secondary sexual characters in the North American species of the genus *Ips* (Coleoptera: Scolytidae), 862.
- Leech, R. The male of *Xysticus rugosus* (Araneida: Thomisidae), 633.
Transfer of the genus *Melocosa* from Pisauridae to Lycosidae, and a key to the Nearctic genera of Lycosidae (Arachnida: Araneida), 890.
See also Freitag, R., 1328.
- Legner, E. F. Distribution pattern of hosts and parasitization by *Spalangia drosophilae* (Hymenoptera: Pteromalidae), 551.
- Leibovitz, L. See Price, R. D., 997.
- LeRoux, E. J. See Mukerji, M. K., 314, 387, 449; Cheng, H. H., 839.
- Lindquist, E. E. New species of *Tarsonemus* (Acarina: Tarsonemidae) associated with bark beetles, 1291.
- Lindquist, O. H. and Miller, W. J. The larvae of *Pristiphora acidovalva* (Hymenoptera: Tenthredinidae) in Ontario, 973.
- Lowe, R. B. A control unit for the automatic operation of portable 115 volt 60 cycle A.C. power plant for insect light traps, 422.
- Lyons, L. A. The use of crystal violet for determining the age of sawfly cocoons in the soil, 915.
- MacKay, M. R. Microlepidopterous larvae in Baltic amber, 1173.
- MacKay, M. R. and Downes, J. A. Arctic Olethreutinae (Lepidoptera: Tortricidae), 1048.
- Mackie, J. J. A heated wire loop for work with insects, 1231.
An inexpensive flight inducer, 1333.
- Madsen, H. F. and Williams, K. The effect of petroleum oils on Anjou pears and on pear psylla, *Psylla pyricola*, 584.
- Martin, J. E. H. See McAlpine, J. F., 819.
- Mata Jr., S. A. See McCambridge, W. F., 507.
- Mathieu, J. M. Mating behavior of five species of Lucanidae (Coleoptera: Insecta), 1054.
- McAlpine, J. F. and Martin, J. E. H. Canadian amber — a paleontological treasure-chest, 819.

- McCambridge, W. F. and Mata Jr., S. A.** Flight muscle changes in black hills beetles, *Dendroctonus ponderosae* (Coleoptera: Scolytidae), during emergence and egg laying, 507.
- McGhehey, J. H. and Nagel, W. P.** The biologies of the *Pseudohylesinus tsugae* and *P. grandis* (Coleoptera: Scolytidae) in western hemlock, 269.
- McGuffin, W. C.** Larval head capsule characters for specific identification in *Deilinia* and *Drepamulatrix* (Lepidoptera: Geometridae), 1228.
- McGurk, D. J.** See Vick, K., 879.
- McKinlay, K. S.** Grasshopper control: Laboratory testing as a means of evaluating field performance, 159.
- McLeod, J. M.** On the habits of a jack pine needle-miner, *Eucordylea camusella* (Lepidoptera: Gelechiidae), with special reference to its association with a fungus, *Aureobasidium pullulans* (Maniliales (Deuteromycetes) Dematiaceae), 166.
- Miller, W. J.** See Lindquist, O. H., 973.
- Milroy, J.** See Harris, P., 1.
- Moilliet, T. K.** See Downing, R. S., 1000.
- Monk, C. D.** See Coleman, D. C., 328.
- Morgan, C. V. G. and Angle, B. J.** Distribution and development of the San Jose scale (Homoptera: Diaspididae) on the leaves, bark, and fruit of some orchard and ornamental trees in British Columbia, 983.
- Morris, Ray F.** Occurrence of the damselfly, *Agrion aequabile*, in Newfoundland, 163.
- Morris, R. F. and Royama, T.** Logarithmic regression as an index of responses to population density. Comment on a paper by M. P. Hassell and C. B. Huffaker, 361.
- Morrison, F. O.** See Yu, S. J., 846.
- Mukerji, M. K.** Oviposition preference and survival of *Hylemya brassicae* on some cruciferous crops, 153.
- Mukerji, M. K. and LeRoux, E. J.** The effect of predator age on the functional response of *Podisus maculiventris* to the prey size of *Galleria mellonella*, 314.
A quantitative study of food consumption and growth of *Podisus maculiventris* (Hemiptera: Pentatomidae), 387.
A study on energetics of *Podisus maculiventris* (Hemiptera: Pentatomidae), 449.
- Munroe, E.** Transfer of *Cacographis colombiana* from Midilinae to Nymphulinae, with description of *Midilambia* n. gen. (Lepidoptera: Pyralidae), 994.
See also Mutuura, A., 1009, 1042.
- Munroe, E. and Mutuura, A.** Contributions to a study of the Pyraustinae (Lepidoptera: Pyralidae) of Temperate East Asia, V, 299; VI, 897; VII, 1069; VIII, 1239.
- Musgrave, A. J. and French, E. B.** Potential control of ectoparasites of vertebrates by systemic treatment of blood with mixtures containing antibiotics, 757.
- Mutuura, A.** See Munroe, E., 299, 897, 1069, 1239.
- Mutuura, A., Munroe, E., and Ross, D. A.** American species of *Dioryctria* (Lepidoptera: Pyralidae). I. Western Canadian species of the *zimmermani* group, 1009. II. Western Canadian species of the *baumhoferi* and *ponderosae* groups, 1042.
- Nagel, W. P.** See McGhehey, J. H., 269.
- North, D. T. and Holt, G. G.** Population suppression by transmission of inherited sterility to progeny of irradiated cabbage loopers, *Trichoplusia ni*, 513.
- Olson, A. M.** See Root, R. B., 768.
- Ozburn, G. W.** See Freitag, R., 1328.
- Paim, U.** See Robinson, G. L., 337.
- Pechuman, L. L.** A synopsis of *Holcopsis* (Diptera: Tabanidae), 1107.
- Peck, O.** Chalcidoid (Hymenoptera) parasites of the alfalfa leaf-cutter bee, *Megachile rotundata*, in Canada, 418.
- Peckham, D. J.** A serological comparison of *Pissodes strobi* and *P. approximatus* (Coleoptera: Curculionidae), 78.
- Perey, J. E.** See Weatherston, J., 280.
- Peschken, D.** See Harris, P., 1.
- Pfadt, R. E.** A new species of *Eremocharis* (Orth.: Pamph.) from Afghanistan, 545.
- Phillips, J. H. H. and Proctor, J. R.** Studies of fecundity and behaviour of the Oriental fruit moth, *Grapholitha molesta* (Lepidoptera: Tortricidae), on the Niagara Peninsula of Ontario, 1024.
- Pickford, R. and Randell, R. L.** A non-diapause strain of the migratory grasshopper, *Melanoplus sanguinipes* (Orthoptera: Acrididae), 894.
- Pitman, G. B.** See Vité, J. P., 113.

- Pitman, G. B. and Vité, J. P.** Aggregation behavior of *Dendroctonus ponderosae* (Coleoptera: Scolytidae) in response to chemical messengers, 143.
- Poole, R. W.** The larvae of some species of the genus *Stenoporpi* from Arizona (Lepidoptera: Geometridae), 738.
- Price, R. D. and Leibovitz, L.** A new species of *Actornithophilus* (Mallophaga: Menoponidae) from the knot, 997.
- Proctor, J. R.** See Phillips, J. H. H., 1024.
- Proverbs, M. D.** See Brinton, F. E., 577.
- Quednau, F. W.** Laboratory propagation of the parasite *Chrysobaris larinella* (Hymenoptera: Eulophidae) and notes on interaction with its host, *Coleophora laricella*, 100.
- Randell, R. L.** See Pickford, R., 894.
- Rasmy, A. H.** Responses of populations of phytophagous and predaceous mites on citrus to cessation of spraying, 1078.
- Read, D. C.** Rearing the cabbage maggot with and without diapause, 725.
- Redner, J. H.** See Dondale, C. D., 921.
- Reid, R. W.** The influence of humidity on incubating bark beetle eggs, 182.
- Rexrode, C. O.** Seasonal development and habits of *Pseudopityophthorus* spp. (Coleoptera: Scolytidae) in southern Ohio, 306.
- Rice, R. E.** Bionomics of *Enoclerus harri* (Coleoptera: Cleridae), 382.
- Richards, W. R.** A new species of *Tuberculatus* from Turkey, with revisionary, descriptive notes on *Tuberculoidea* (Homoptera: Aphididae), 51.
- Drepanaphis pallida*, a new aphid collected on *Acer saccharum* in Ontario (Homoptera: Aphididae), 107.
- Betulaphis viridis*, a new species of aphid collected on *Betula pendula* in Ontario (Homoptera: Aphididae), 558.
- Cepegilletta viridis* a new aphid from Ontario, with a review of the genus (Homoptera: Aphididae), 963.
- A review of the Holarctic genus *Roepkea* with descriptions of four new Nearctic species (Homoptera: Aphididae), 1121.
- Robinson, A. G.** Four new species of aphids (Homoptera: Aphididae) from Western Canada, 1115.
- Robinson, A. G. and Chen, Y.-H.** Observations on *Rhopalosiphum padi* and *R. fitchii* (Homoptera: Aphididae) in Manitoba, 110.
- Species of *Aphis* (Homoptera: Aphididae) on *Cornus* species in North America, 521.
- Robinson, G. L. and Paim, U.** Opisthosomal musculature of female *Araneus diadematus* (Araneae: Argiopidae), 337.
- Root, R. B. and Olson, A. M.** Population increase of the cabbage aphid, *Brevicoryne brassicae*, on different host plants, 768.
- Ross, D. A.** See Downton, W. J. S., 774; Mutuura, A., 1009, 1042.
- Royama, T.** See Morris, R. F., 361.
- Rudinsky, J. A.** See Schneider, I., 1181.
- Rudinsky, J. A. and Schneider, I.** Effects of light intensity on the flight pattern of two *Gnathotricbus* (Coleoptera: Scolytidae) species, 1248.
- Salkeld, E. H.** Electrophoretic patterns of egg proteins from several insect taxa, 1256.
- Sanders, C. J.** Extrusion of the female sex pheromone gland in the eastern spruce budworm, *Choristoneura fumiferana* (Lepidoptera: Tortricidae), 760.
- Sanders, C. J. and Baldwin, W. F.** Iridium-192 as a tag for carpenter ants of the genus *Camponotus* (Hymenoptera: Formicidae), 416.
- Sanford, K. H.** See Herbert, H. J., 62.
- Schenk, J. A.** See Goyer, R. A., 1063.
- Schmid, F.** La famille des Sténopsychides (Trichoptera), 187.
- Schmid, J. M.** A revision of the Nearctic species of *Atrometus* (Hymenoptera: Ichneumonidae), 778.
- Schneider, I.** See Rudinsky, I., 1248.
- Schneider, I. and Farrier, M. H.** New hosts, distribution, and biological notes on an imported ambrosia beetle, *Xylosandrus germanus* (Coleoptera: Scolytidae), 412.
- Schneider, I. and Rudinsky, J. A.** The site of pheromone production in *Trypodendron lineatum* (Coleoptera: Scolytidae): Bio-assay and histological studies of the hindgut, 1181.
- Shemanchuk, J. A.** See Trpiš, M., 128.

- Smirnov, W. A. et Valéro, J. R.** Influence de l'infection virale (polyédrie nucléaire) sur la formation d'acide urique chez la larve de *Neodiprion swaini* (Hymenoptera: Tenthredinidae), 763.
- Smith, B. C.** Effects of silica on the survival of *Coleomegilla maculata lengi* (Coleoptera: Coccinellidae) and *Leptinotarsa decemlineata* (Coleoptera: Chrysomelidae), 460.
See also Boldyrev, M. I., 1199.
- Smith, D. S.** Oviposition, development of eggs, and chromosome complement of eggs of virgin females of the grasshopper *Melanoplus sanguinipes*, 23.
- Smith, G. J. C.** Host selection and oviposition behavior of *Nasonia vitripennis* (Hymenoptera: Pteromalidae) on two host species, 533.
- Smith, M. E.** The *Aedes* mosquitoes of New England (Diptera: Culicidae). II. Larvae: Keys to instars, and to species exclusive of first instar, 41.
- Smith, S. M.** See Downes, J. A., 404.
- Steward, C. C.** Inhibition of cholinesterase in the cattle grub *Hypoderma bovis* (Diptera: Oestridae) after treatment of the host cattle with systemic insecticides, 463.
- Stewart, M. G.** See Eaton, G. W., 149.
- Tauber, C. A.** See Tauber, M. J., 364.
- Tauber, M. J. and Tauber, C. A.** Diapause in *Chrysopa carnea* (Neuroptera: Chrysopidae). I. Effect of photoperiod on reproductively active adults, 364.
- Teskey, H. J.** On the behavior and ecology of the face fly, *Musca autumnalis* (Diptera: Muscidae), 561.
- Timmins, P. R.** See Foott, W. H., 375.
- Torgersen, T. R.** Two eulophid parasites associated with the black-headed budworm in Alaska, 180.
- Trpis, M. and Shemanchuk, J. A.** The effect of temperature on pre-adult development of *Aedes flavescens* (Diptera: Culicidae), 128.
- Valéro, J. R.** See Smirnov, W. A., 763.
- Vick, K., Drew, W. A., Young, J., McGurk, D. J., and Eisenbraun, E. J.** Chemotaxonomic studies of ants: Volatile compounds, 879.
- Vick, K., Drew, W. A., Young, J., and Eisenbraun, E. J.** Chemotaxonomic studies of ants: Free amino acids, 1207.
- Vickery, V. R.** A new genus and species of *Orthoptera* (Acridoidea: Acrididae) from Sonora, Mexico, 1223.
- Vité, J. P.** See Pitman, G. B., 143.
- Vité, J. P. and Pitman, G. B.** Insect and host odors in the aggregation of the western pine beetle, 113.
- Von Stryk, F. G.** See Foott, W. H., 375.
- Walley, G. S.** A synopsis of the Nearctic species of the *onitis* group of the genus *Trieles* (Hymenoptera: Ichneumonidae), 1092.
- Waterhouse, J. S.** An evaluation of a new predaceous centipede *Lamycetes* sp., on the garden symphylan *Scutigereilla immaculata*, 1081.
- Watt, K. E. F.** Prospective effects of air pollution on insects, 1235.
- Weatherston, J. and Percy, J. E.** Studies of physiologically active arthropod secretions. II. Some observations of the scent pencils of male *Vitula edmandsae* (Lepidoptera: Phycitidae), 280.
- Wellington, W. G.** Effects of three hormonal mimics on mortality, metamorphosis, and reproduction of the western tent caterpillar, *Malacosoma californicum phuviale*, 1163.
- Werner, R. A.** The amount of foliage consumed or destroyed by laboratory-reared larvae of the black-headed budworm, *Acleris variana*, 286.
- Wilde, W. H. A.** See Boldyrev, M. I., 1199, 1218.
- Williams, K.** See Madsen, H. F., 584.
- Wilson, L. F.** Life history, habits, and damage of *Chrysobothris orono* (Coleoptera: Buprestidae) on red pine in Michigan, 291.
- Wong, H. R.** Reassignment of the *Ambigua* group of *Pristiphora* to a new genus, *Sharliphora* (Hymenoptera: Tenthredinidae), 332.
Pristiphora acidovalva, a new sawfly on willow (Hymenoptera: Tenthredinidae), 970.
- Young, J.** See Vick, K., 879, 1207.
- Yu, S. J. and Morrison, F. O.** The effect of physical nature of acaricide deposits on their action, 846.

INDEX TO NEW TAXA

	PAGE		PAGE
New Genera and Subgenera			
<i>Astebelius</i> Vickery (Acridoidea)	1223	<i>canuti</i> Price & Leibovitz,	
<i>Anamala</i> Munroe & Mutuura		<i>Actornithophilus</i>	997
(Lepidoptera)	1242	<i>capilanoensis</i> Robinson, <i>Aulacorthum</i>	1119
<i>Callibotys</i> Munroe & Mutuura		<i>capitatus</i> Kelton, <i>Scalponotatus</i>	22
(Lepidoptera)	299	<i>cavatus</i> Dondale & Redner,	
<i>Coclebotys</i> Munroe & Mutuura		<i>Philodromus</i>	942
(Lepidoptera)	1243	<i>chekiangensis</i> Munroe & Mutuura,	
<i>Demobotys</i> Munroe & Mutuura		<i>Proteurrhpara</i>	900
(Lepidoptera)	1239	<i>chillcotti</i> Kelton, <i>Scalponotatus</i>	17
<i>Eumorphobotys</i> Munroe & Mutuura		<i>confusus</i> Walley, <i>Trieces</i>	1098
(Lepidoptera)	303	<i>contortella</i> Mutuura, Munroe & Ross,	
<i>Midilambia</i> Munroe (Lepidoptera)	994	<i>Dioryctria</i>	1016
<i>Proteurrhpara</i> Munroe & Mutuura		<i>cornutus</i> Richards, <i>Tuberculatus</i>	53
(Lepidoptera)	899	<i>crassipes</i> Walley, <i>Trieces</i>	1102
<i>Pseudopolygrammodes</i> Munroe &		<i>cryptica</i> Munroe & Mutuura,	
Mutuura (Lepidoptera)	897	<i>Circobotys</i>	1077
<i>Pseudopomyzella</i> Hennig		<i>crypticus</i> Vickery, <i>Astebelius</i>	1224
(Diptera)	594		
<i>Rhinopomyzella</i> Hennig		<i>dirghajivri</i> Schmid, <i>Stenopsyche</i>	213
(Diptera)	596	<i>dvyanakopayukta</i> Schmid, <i>Stenopsyche</i>	221
<i>Scalponotatus</i> Kelton (Heteroptera)	15		
<i>Sbarliphora</i> Wong (Hymenoptera)	332	<i>ecuadoriensis</i> Hennig, <i>Schizochroa</i>	610
<i>Shewellia</i> Hennig (Diptera)	621	<i>elegans</i> Munroe & Mutuura,	
<i>Siniobotys</i> Munroe & Mutuura		<i>Circobotys</i>	1069
(Lepidoptera)	304	<i>elongata</i> Munroe & Mutuura,	
<i>Yezobotys</i> Munroe & Mutuura		<i>Circobotys</i>	1074
(Lepidoptera)	1245	<i>endophloeus</i> Lindquist, <i>Tarsonemus</i>	1309
		<i>epimotiae</i> Walley, <i>Trieces</i>	1104
		<i>exigua</i> Munroe & Mutuura,	
		<i>Demobotys pervulgalis</i>	1240
New Species and Subspecies			
<i>acidovalva</i> Wong, <i>Pristiphora</i>	970	<i>flava</i> Hennig, <i>Pseudopomyzella</i>	595
<i>agromyzina</i> Hennig, <i>Shewellia</i>	621	<i>flavidecoralis</i> Munroe & Mutuura,	
<i>abyou</i> Munroe & Mutuura,		<i>Opsibotys</i>	906
<i>Circobotys obscuralis</i>	1073	<i>flexus</i> Walley, <i>Trieces</i>	1102
<i>ainualis</i> Munroe & Mutuura,			
<i>Yezobotys</i>	1247	<i>baimavatika</i> Schmid, <i>Stenopsyche</i>	215
<i>alamkrita</i> Schmid, <i>Stenopsyche</i>	218	<i>barrietae</i> Dondale & Redner,	
<i>albicornis</i> Kelton, <i>Scalponotatus</i>	19	<i>Philodromus</i>	926
<i>albimana</i> Hennig, <i>Rhinopomyzella</i>	598	<i>belianthemum</i> Bottimer,	
<i>albipes</i> Kelton, <i>Scalponotatus</i>	17	<i>Acanthoscelides</i>	977
<i>apiguna</i> Schmid, <i>Stenopsyche</i>	211	<i>birsuta</i> Hennig, <i>Cinderella</i>	632
<i>apoiolis</i> Munroe & Mutuura,		<i>bowdeni</i> Kelton, <i>Scalponotatus</i>	17
<i>Proteurrhpara ocellalis</i>	900	<i>bunana</i> Munroe & Mutuura,	
<i>arizonensis</i> Dondale & Redner,		<i>Demobotys pervulgalis</i>	1240
<i>Philodromus</i>	928		
<i>aureonigra</i> Schmid, <i>Stenopsychodes</i>	208	<i>infectus</i> Dondale & Redner,	
<i>australicus</i> Hennig, <i>Cyamops</i>	612	<i>Philodromus</i>	937
		<i>insignis</i> Kelton, <i>Scalponotatus</i>	19
<i>badius</i> Schmid, <i>Atrometus</i>	779	<i>ips</i> Lindquist, <i>Tarsonemus</i>	1292
<i>balli</i> Campbell, <i>Oxyporus</i>			
(<i>Oxyporus</i>)	254	<i>longiductus</i> Dondale & Redner,	
<i>banksiella</i> Mutuura, Munroe & Ross,		<i>Philodromus</i>	938
<i>Dioryctria</i>	1021	<i>longiterebra</i> Hennig, <i>Lateticomyia</i>	592
<i>benefactor</i> Hinz, <i>Olesicampe</i>	181		
<i>bierigi</i> Campbell, <i>Oxyporus</i>		<i>macalpinei</i> Hennig, <i>Cinderella</i>	629
(<i>Oxyporus</i>)	257	<i>maturus</i> Kelton, <i>Scalponotatus</i>	16
<i>breviductus</i> Dondale & Redner,		<i>menziesiae</i> Robinson, <i>Masonaphis</i>	1116
<i>Philodromus</i>	939	<i>mexicanus</i> Dondale & Redner,	
		<i>Philodromus</i>	941

	PAGE		PAGE
<i>mexicanus</i> Kelton, <i>Scalponotatus</i> . . .	18	<i>pratarioides</i> Dondale & Redner,	
<i>minosus</i> Kelton, <i>Scalponotatus</i> . . .	18	<i>Philodromus</i>	924
<i>minuta</i> Hennig, <i>Schizochroa</i>	609	<i>probolus</i> Dondale & Redner,	
<i>mississippianus</i> Dondale & Redner,		<i>Philodromus</i>	936
<i>Philodromus</i>	934	<i>pseudanomalus</i> Dondale & Redner,	
<i>monoceralis</i> Munroe and Mutuura,		<i>Philodromus</i>	940
<i>Demobotys</i>	1240	<i>pseudotsugae</i> Evans, <i>Laspeyresia</i>	955
<i>monticolella</i> Mutuura, Munroe & Ross,		<i>punctata</i> Richards, <i>Roepkea</i>	1145
<i>Dioryctria</i>	1018		
<i>microfer</i> Bottimer, <i>Acanthoscelides</i> . .	975	<i>rubradicis</i> Robinson, <i>Aphis</i>	1117
<i>multisetis</i> Richards, <i>Roepkea</i>	1143	<i>rotundicornis</i> Hennig, <i>Latheticomyia</i> . .	592
		<i>ruficoxa</i> Walley, <i>Trieces</i>	1101
<i>nathani</i> Munroe & Mutuura,		<i>rutilis</i> Krebs, <i>Phytodietus</i>	
<i>Ananalaia</i>	1243	(<i>Neuchorus</i>)	549
<i>neotropicus</i> Hennig, <i>Cyamops</i>	612		
<i>nigratibialis</i> Robinson, <i>Aphis</i>	524	<i>sablensis</i> Brown, <i>Phyrrhalta</i>	
<i>nigrimana</i> Hennig, <i>Rhinopomyzella</i> . .	599	(<i>Tricholochmaea</i>)	109
<i>nigriventer</i> Hennig, <i>Cephodapedon</i> . .	624	<i>sclerosa</i> Richards, <i>Roepkea</i>	1147
		<i>separatus</i> Dondale & Redner,	
<i>obscurum</i> Hennig, <i>Cephodapedon</i> . .	624	<i>Philodromus</i>	934
<i>obscurus</i> Schmid, <i>Atrometus</i>		<i>steyskali</i> Hennig, <i>Cinderella</i>	630
<i>geniculatus</i>	783	<i>striatus</i> Hennig, <i>Scutops</i>	604
<i>occidentalis</i> Munroe & Mutuura,		<i>subcorticalis</i> Lindquist, <i>Tarsonemus</i> .	1302
<i>Proteurrhyncha</i>	902		
<i>okanaganella</i> Mutuura, Munroe &		<i>tortus</i> Dondale & Redner, <i>Philodromus</i>	935
Ross, <i>Dioryctria</i>	1045	<i>triarcus</i> Lindquist, <i>Tarsonemus</i>	1297
<i>onimalis</i> Munroe & Mutuura,		<i>tridenticulatus</i> Bottimer,	
<i>Circobotys heterogenalis</i>	1071	<i>Acanthoscelides</i>	1193
		<i>trinidadiansis</i> Hennig, <i>Schildomyia</i> . .	620
<i>pallida</i> Richards, <i>Drepanaphis</i>	107	<i>truncatus</i> Walley, <i>Trieces</i>	1101
<i>patriciae</i> Robinson, <i>Masonaphis</i> . . .	1115	<i>tunicolella</i> Mutuura, Munroe &	
<i>pentictonella</i> Mutuura, Munroe &		Ross, <i>Dioryctria</i>	1013
Ross, <i>Dioryctria</i>	1042		
<i>perfuscalis</i> Munroe & Mutuura,		<i>vancouverella</i> Mutuura, Munroe &	
<i>Opsibotys</i>	904	Ross, <i>Dioryctria pentictonella</i> . . .	1044
<i>pertinctalis</i> Munroe & Mutuura,		<i>venezuelensis</i> Hennig, <i>Planinasus</i> . . .	615
<i>Circobotys heterogenalis</i>	1071	<i>viridis</i> Richards, <i>Betulaphis</i>	558
<i>peruviana</i> Hennig, <i>Schildomyia</i>	618	<i>viridis</i> Richards, <i>Cepgillettea</i>	968
<i>peruvianus</i> Hennig, <i>Neoscutops</i>	603		
<i>plebeia</i> Munroe & Mutuura,		<i>wilemani</i> Munroe & Mutuura,	
<i>Circobotys</i>	1071	<i>Callibotys</i>	300
<i>plesiomorphica</i> Hennig, <i>Schizochroa</i> .	608		
<i>pollinosa</i> Hennig, <i>Cinderella</i>	629	<i>zabapsis</i> Richards, <i>Roepkea</i>	1159
		<i>zaberi</i> Pfadt, <i>Eremocharis</i>	545